

Max Pressure Figure 1A (25%)

	Right, N=44	Left Dominant	Right Dominant	Bilateral (N=15)
4/17/2014	5.1	34.2265		
5/21/2014	23.9			22.4221
5/29/2014	54.5			55.3573
6/3/2014	19.6	34.0268		
6/5/2014	24.1			21.6077
R001	5.6	7.2915		
R002	11.6	15.1964		
R003	24.9			24
R004	18.4	25.7		
R005	42.5		29.1	
R012	3.7	40		
R013	11.9			10
R014	13.5		9.8339	
R015	24.6	107.2		
R016	12.6	18.2529		
R017	16.7			19.0993
R018	3.4	5.2423		
R019	14.2	49.2605		
R020	26.7			25.0923
R021	5			6.216
R022	20.4			18.3856
R023	16.4			19.7
R024	16.1			13.9
R025	9	29.7812		
R026	10		0	
R027	7	20.1426		
R028	19.2		14.3299	
R029	5.2	14.7095		
R030	22.8		15.1865	
R031	9.8	12.8539		
R032	17.1		8.6029	
R033	7.7		4.553	
R036	21.5			21.3991
R038	36.9			44.9
R039	70.8		29.0631	
R040	10.2		5.7917	
R041	1.8			1.6383
R042	6.4	11.7514		
R043	5	11.9753		
R044	7.5			5.9575
R045	8.3		5.1327	
R046	20.2		7.6094	

R047	3.8	21.445	
R048	11		3.0988

Max Pressure Figure 1A (10%)

	Right, N=44	Left Dominant	Right Dominant	Bilateral (N=6)
4/17/2014	5.1	34.2265		
5/21/2014	23.9			22.4221
5/29/2014	54.5			55.3573
6/3/2014	19.6	34.0268		
6/5/2014	24.1		21.6077	
R001	5.6	7.2915		
R002	11.6	15.1964		
R003	24.9			24
R004	18.4	25.7		
R005	42.5		29.1	
R012	3.7	40		
R013	11.9		10	
R014	13.5		9.8339	
R015	24.6	107.2		
R016	12.6	18.2529		
R017	16.7	19.0993		
R018	3.4	5.2423		
R019	14.2	49.2605		
R020	26.7			25.0923
R021	5	6.216		
R022	20.4		18.3856	
R023	16.4	19.7		
R024	16.1		13.9	
R025	9	29.7812		
R026	10		0	
R027	7	20.1426		
R028	19.2		14.3299	
R029	5.2	14.7095		
R030	22.8		15.1865	
R031	9.8	12.8539		
R032	17.1		8.6029	
R033	7.7		4.553	
R036	21.5			21.3991
R038	36.9	44.9		
R039	70.8		29.0631	
R040	10.2		5.7917	
R041	1.8			1.6383
R042	6.4	11.7514		
R043	5	11.9753		
R044	7.5		5.9575	
R045	8.3		5.1327	
R046	20.2		7.6094	

R047	3.8	21.445	
R048	11		3.0988

)

L6 Max Detrusor Pressure 25%

	Right, N=12	Left Dominant	Right Dominant	Bilateral (N=2)
5/21/2014	6.5674		4.3563	
5/29/2014	7.5732		2.7791	
6/3/2014	0	3.1057		
6/5/2019	0	1.5603		
R024	4.2036	7.1828		
R025	8.9988			8.3937
R026	9.9746		0	
R027	0	4.864		
R028	4.3024		2.2472	
R030	2.3826	3.8429		
R032	1.7243		0.8263	
R033	0			0

L7 Max Detrusor Pressure 25%

	Right, N=28	Left Dominant	Right Dominant	Bilateral (N=8)
5/21/2014	6.7863		3.3933	
5/29/2014	2.0894		0.4159	
6/3/2014	0	0.8508		
6/5/2019	1.6821	2.299		
R001	5.575	7.291		
R005	42.49		29.05	
R013	11.85			10.02
R016	12.6438		1.8186	
R017	2.6698		0.7879	
R019	0	9.6379		
R020	2.3295			2.8789
R024	7.9654	12.8857		
R025	3.098			2.9248
R026	0			0
R027	7.0289		0	
R028	2.668			3.0898
R029	1.1633		0	
R030	6.8605		2.4604	
R031	4.3546	6.3277		
R032	3.9525		1.0818	
R033	2.2611		0	
R039	4.9521			4.3987
R041	0			0
R043	5.0236			4.691
R044	1.3543	1.8933		
R045	0	1.039		
R047	2.1041	4.5661		
R048	0.2108	1.6724		

S1 Max Detrusor Pressure 25%

	Right, N=36	Left Dominant	Right Dominant	Bilateral (N=6)
4/17/2014	3.6298	9.186		
5/21/2014	12.5237		4.3775	
5/29/2014	12.0538			10.6581
6/3/2014	6.5938	8.6884		
6/5/2019	5.2261		3.9649	
R002	11.6295	15.1964		
R004	17.9167		10.2779	
R014	13.4555		9.8339	
R015	24.56	107.22		
R016	6.6711	18.2529		
R017	16.6692		3.9635	
R018	3.4433		2.5246	
R019	14.15	49.2605		
R020	20.8474			25.0923
R021	5.0387			6.216
R022	20.4487			18.3856
R024	2.4682	4.8749		
R025	0	11.1877		
R027	1.1846		0.5989	
R028	4.5058		1.965	
R029	1.4559	4.6036		
R030	7.1785			9.0796
R031	1.2271	2.6063		
R032	4.2021		2.2374	
R033	2.4315	4.553		
R036	12.4656		5.7818	
R039	4.647	29.0631		
R040	55.98			48.27
R041	0.6081		0.1675	
R042	5.5851	11.7514		
R043	2.8089		0	
R044	2.7001		2.0707	
R045	0	3.6947		
R046	0.4231	3.3027		
R047	3.0007		1.741	
R048	0	1.9654		

S2 Max Detrusor Pressure 25%

	Right, N=32	Left Dominant	Right Dominant	Bilateral (N=9)
4/17/2014	5.1025	34.2265		
5/21/2014	23.8813			22.4221
5/29/2014	54.4588			55.3573
6/3/2014	19.5691	34.0268		

6/5/2014	24.1205			21.6077
R004	18.3761	25.6746		
R016	6.3562			5.1319
R017	2.7723	19.0993		
R018	0	5.2423		
R019	0	25.7963		
R020	26.7275			21.4491
R022	4.8262	8.7187		
R024	16.077			13.9098
R025	3.9236	29.7812		
R027	4.7196	20.1426		
R028	19.2286		14.3299	
R029	5.1877	14.7095		
R030	22.8473		15.1865	
R031	9.8478	12.8539		
R032	17.141		8.6029	
R033	7.6663		3.5331	
R036	21.4878		10.6042	
R039	70.7613		0	
R040	10.1647		5.7917	
R041	1.7803		0.9162	
R042	6.3762	11.0115		
R043	4.6909		3.2622	
R044	7.5131			5.9575
R045	4.4358			5.1327
R046	20.2393		7.6094	
R047	3.7894			4.1906
R048	11.0018		3.0988	

S3 Max Detrusor Pressure 25%

	Right, N=18	Left Dominant	Right Dominant	Bilateral (N=3)
4/17/2014	1.3024	9.6205		
5/21/2014	4.802	10.2989		
5/29/2014	20.2006			16.6612
6/3/2014	12.0625		4.9079	
6/5/2014	3.101	16.5091		
R020	6.4284		0.6371	
R021	2.3137		1.1738	
R025	0.6511	1.5341		
R036	0	21.3991		
R040	7.5741		3.7877	
R041	1.5243			1.6383
R042	2.4131	8.142		
R043	0	11.9753		
R044	2.1111		0.4609	



R045	8.2757		2.885	
R046	4.7769			3.7447
R047	1.5104	21.445		
R048	5.2403		2.4611	

L6 Max Detrusor Pressure 10%

	Right, N=12	Left Dominant	Right Dominant	Bilateral (N=2)
5/21/2014	6.5674		4.3563	
5/29/2014	7.5732		2.7791	
6/3/2014	0	3.1057		
6/5/2019	0	1.5603		
R024	4.2036	7.1828		
R025	8.9988			8.3937
R026	9.9746		0	
R027	0	4.864		
R028	4.3024		2.2472	
R030	2.3826	3.8429		
R032	1.7243		0.8263	
R033	0			0

L7 Max Detrusor Pressure 10%

	Right, N=28	Left Dominant	Right Dominant	Bilateral (N=4)
5/21/2014	6.7863		3.3933	
5/29/2014	2.0894		0.4159	
6/3/2014	0	0.8508		
6/5/2019	1.6821	2.299		
R001	5.575	7.291		
R005	42.49		29.05	
R013	11.85		10.02	
R016	12.6438		1.8186	
R017	2.6698		0.7879	
R019	0	9.6379		
R020	2.3295	2.8789		
R024	7.9654	12.8857		
R025	3.098			2.9248
R026	0			0
R027	7.0289		0	
R028	2.668	3.0898		
R029	1.1633		0	
R030	6.8605		2.4604	
R031	4.3546	6.3277		
R032	3.9525		1.0818	
R033	2.2611		0	
R039	4.9521	4.3987		
R041	0			0
R043	5.0236			4.691
R044	1.3543	1.8933		
R045	0	1.039		
R047	2.1041	4.5661		
R048	0.2108	1.6724		

S1 Max Detrusor Pressure 10%

	Right, N=36	Left Dominant	Right Dominant	Bilateral (N=0)
4/17/2014	3.6298	9.186		
5/21/2014	12.5237			4.3775
5/29/2014	12.0538			10.6581
6/3/2014	6.5938	8.6884		
6/5/2019	5.2261			3.9649
R002	11.6295	15.1964		
R004	17.9167			10.2779
R014	13.4555			9.8339
R015	24.56	107.22		
R016	6.6711	18.2529		
R017	16.6692			3.9635
R018	3.4433			2.5246
R019	14.15	49.2605		
R020	20.8474	25.0923		
R021	5.0387	6.216		
R022	20.4487			18.3856
R024	2.4682	4.8749		
R025	0	11.1877		
R027	1.1846			0.5989
R028	4.5058			1.965
R029	1.4559	4.6036		
R030	7.1785	9.0796		
R031	1.2271	2.6063		
R032	4.2021			2.2374
R033	2.4315	4.553		
R036	12.4656			5.7818
R039	4.647	29.0631		
R040	55.98			48.27
R041	0.6081			0.1675
R042	5.5851	11.7514		
R043	2.8089			0
R044	2.7001			2.0707
R045	0	3.6947		
R046	0.4231	3.3027		
R047	3.0007			1.741
R048	0	1.9654		

S2 Max Detrusor Pressure 10%

	Right, N=32	Left Dominant	Right Dominant	Bilateral (N=2)
4/17/2014	5.1025	34.2265		
5/21/2014	23.8813			22.4221
5/29/2014	54.4588			55.3573
6/3/2014	19.5691	34.0268		

6/5/2014	24.1205		21.6077
R004	18.3761	25.6746	
R016	6.3562		5.1319
R017	2.7723	19.0993	
R018	0	5.2423	
R019	0	25.7963	
R020	26.7275		21.4491
R022	4.8262	8.7187	
R024	16.077		13.9098
R025	3.9236	29.7812	
R027	4.7196	20.1426	
R028	19.2286		14.3299
R029	5.1877	14.7095	
R030	22.8473		15.1865
R031	9.8478	12.8539	
R032	17.141		8.6029
R033	7.6663		3.5331
R036	21.4878		10.6042
R039	70.7613		0
R040	10.1647		5.7917
R041	1.7803		0.9162
R042	6.3762	11.0115	
R043	4.6909		3.2622
R044	7.5131		5.9575
R045	4.4358	5.1327	
R046	20.2393		7.6094
R047	3.7894	4.1906	
R048	11.0018		3.0988

S3 Max Detrusor Pressure 10%

	Right, N=18	Left Dominant	Right Dominant	Bilateral (N=1)
4/17/2014	1.3024	9.6205		
5/21/2014	4.802	10.2989		
5/29/2014	20.2006		16.6612	
6/3/2014	12.0625		4.9079	
6/5/2014	3.101	16.5091		
R020	6.4284		0.6371	
R021	2.3137		1.1738	
R025	0.6511	1.5341		
R036	0	21.3991		
R040	7.5741		3.7877	
R041	1.5243			1.6383
R042	2.4131	8.142		
R043	0	11.9753		
R044	2.1111		0.4609	

R045	8.2757		2.885
R046	4.7769		3.7447
R047	1.5104	21.445	
R048	5.2403		2.4611

Pelvic Nerve Left versus Right Max Detrusor Pressure 25%

	Right (N = 19)	Left Dominant	Right Dominant	Bilateral (N=5)
Mia	8.6831			7.5271
Uma	15.334			14.8008
Vanni	13.4578	20.2707		
Xoe	17.39	27.361		
Becky	15.8576		7.7316	
Francine	5.637	13.977		
Katie	12.6546		9.8257	
Holly	17.1579		2.8056	
Jade	8.8727	29.9103		
Oprah	6.3785	13.5804		
4/17/2014	8.2292	10.97		
4/22/2014	25.6909			23.9178
6/3/2014	13.7862		2.2266	
6/5/2014	11.8217	26.8961		
R013	9.7147			10.1325
R019	18.1489		11.7297	
R022	14.1049	35.4679		
R034	7.3778		0.2962	
R037	7.9408			8.5355

Pelvic Nerve Left versus Right Max Detrusor Pressure 10%

	Right (N = 19)	Left Dominant	Right Dominant	Bilateral (N=4)
Mia	8.6831		7.5271	
Uma	15.334			14.8008
Vanni	13.4578	20.2707		
Xoe	17.39	27.361		
Becky	15.8576		7.7316	
Francine	5.637	13.977		
Katie	12.6546		9.8257	
Holly	17.1579		2.8056	
Jade	8.8727	29.9103		
Oprah	6.3785	13.5804		
4/17/2014	8.2292	10.97		
4/22/2014	25.6909			23.9178
6/3/2014	13.7862		2.2266	
6/5/2014	11.8217	26.8961		
R013	9.7147			10.1325
R019	18.1489		11.7297	
R022	14.1049	35.4679		
R034	7.3778		0.2962	
R037	7.9408			8.5355