



| Database Name, Platform, or website lin | Source Type  | Date of last search (YYYY-MM- |
|---|--------------|-------------------------------|
| PubMed (NLM)                            | Database     | 2023-01-17                    |
| CINAHL (Ebscohost)                      | Database     | 2023-01-17                    |
| PsychInfo (Ebscohost)                   | Database     | 2023-01-17                    |
| Embase (Elsevier)                       | Database     | 2023-01-17                    |
| Web of Science (Clarivate Analytics)    | Database     | 2023-01-17                    |
| Trip Pro Database                       | Website      | 2023-01-17                    |
| SAMSHA                                  | Organization | 2023-01-17                    |
| National Academy of Medicine            | Organization | 2023-01-17                    |
| ProQuest Dissertations and Theses       | Database     | 2023-01-17                    |

| Search Number | Search Strategy  | Limits Used | Results Link (if available) | Number of records |
|---------------|--|-------------|-----------------------------|-------------------|
|               | (nurs*[tiab] OR "new to practice nurse*"[tiab] OR "Nursing practice nurse*"[tiab])       |             |                             | 1,125             |
| S1            | (TI nurs* OR "new to practice nurse*") OR (AB nurs* OR "new to practice nurse*") OR      |             |                             |                   |
| S2            | (TI stigma* OR fear* OR anger* OR frustrat* OR avoid* OR judge* OR disconnect* OR        |             |                             |                   |
| S3            | (TI "opioid addict*" OR "opioid N3 addiction" OR "opioid use disorder*" OR "opioid N3 c  |             |                             |                   |
| S4            | S1 AND S2 AND S3   |             |                             | 3,662             |
| S1            | (TI nurs* OR "new to practice nurse*") OR (AB nurs* OR "new to practice nurse*") OR      |             |                             |                   |
| S2            | (TI stigma* OR fear* OR anger* OR frustrat* OR avoid* OR judge* OR disconnect* OR        |             |                             |                   |
| S3            | (TI "opioid addict*" OR "opioid N3 addiction" OR "opioid use disorder*" OR "opioid N3 c  |             |                             |                   |
| S4            | S1 AND S2 AND S3   |             |                             | 103               |
| #1            | (nurs*:ti,ab OR "new to practice nurse*":ti,ab OR 'nurse'/exp)                           |             |                             |                   |
| #2            | (stigma*:ti,ab OR fear:ti,ab OR anger:ti,ab OR frustrat*:ti,ab OR avoid*:ti,ab OR judge* |             |                             |                   |
| #3            | ("opioid addict*":ti,ab OR "opioid use disorder*":ti,ab OR "opioid use-related pro       |             |                             |                   |
| #4            | #1 AND #2 AND #3   |             |                             | 2,119             |
|               | 1 TS=(nurs* OR "new to practice nurse*")   |             |                             |                   |
|               | 2 TS=(stigma* OR fear OR anger OR frustrat* OR avoid* OR judge* OR disconnect* OR        |             |                             |                   |
|               | 3 TS=("opioid addict*" OR "opioid use disorder*" OR "opioid use-related problem*")       |             |                             |                   |
|               | 4 1 AND 2 AND 3  |             |                             | 156               |
|               | nurs* AND opioid AND attitude*   |             |                             | 9                 |
|               | nurse opioid attitude stigma   |             |                             | 184               |
|               | nurse opioid attitude stigma   |             |                             | 28                |
|               | TI,AB(nurs*) AND TI,AB( stigma* OR fear* OR ang  |             |                             | 35                |

! (MH "Nurses+")

! bias\* OR discriminat\* OR mistrust\* OR attitude\* OR "personnel attitude\*" OR "staff attitude\*" OR relate\* OR "disorder\*" OR "opioid N3 use" OR "opioid use-related problem\*") OR (AB "opioid addict\*" OR "opioid N3 addicti

! (DE "Nurses" OR DE "Psychiatric Nurses" OR DE "Public Health Service Nurses" OR DE "School Nurses"))

! bias\* OR discriminat\* OR mistrust\* OR attitude\* OR "personnel attitude\*" OR "staff attitude\*" OR relate\* OR "disorder\*" OR "opioid N3 use" OR "opioid use-related problem\*") OR (AB "opioid addict\*" OR "opioid N3 addicti

! :ti,ab OR disconnect\* :ti,ab OR bias\* :ti,ab OR discriminat\* :ti,ab OR mistrust\* :ti,ab OR attitude\* :ti,ab OR "personnel attitude\*" :ti,ab OR "opioid N3 use" OR "opioid use-related problem\*" :ti,ab OR 'narcotic antagonist'/exp OR 'drug dependence'/exp OR 'drug misuse'/exp OR 'narcotic

! bias\* OR discriminat\* OR mistrust\* OR attitude\* OR "personnel attitude\*" OR "staff attitude\*" OR relate\* OR "disorder\*" OR "opioid N3 use" OR "opioid use-related problem\*") OR (AB "opioid addict\*" OR "opioid N3 addicti

professional attitude\*" OR belief\*) OR (AB stigma\* OR fear\* OR anger\* OR frustrat\* OR avoid\* OR judge\* OR c  
on" OR "opioid use disorder\*" OR "opioid N3 disorder\*" OR "opioid N3 use" OR "opioid use-related problem\*"))

professional attitude\*" OR belief\*) OR (AB stigma\* OR fear\* OR anger\* OR frustrat\* OR avoid\* OR judge\* OR c  
on" OR "opioid use disorder\*" OR "opioid N3 disorder\*" OR "opioid N3 use" OR "opioid use-related problem\*"))

anel attitude\*":ti,ab OR "staff attitude\*":ti,ab OR relate\*":ti,ab OR "professional attitude\*":ti,ab OR belief\*:ti,ab OF  
otic dependence'/exp)

rofessional attitude\*" OR belief\*)

disconnect\* OR bias\* OR discriminat\* OR mistrust\* OR attitude\* OR "personnel attitude\*" OR "staff attitude\*" C  
OR (MH "Narcotics+") OR (MH "Analgesics, Opioid+")) OR (MH "Substance Use Disorders+"))))

disconnect\* OR bias\* OR discriminat\* OR mistrust\* OR attitude\* OR "personnel attitude\*" OR "staff attitude\*" C  
OR (DE "Opioid Use Disorder" OR DE "Heroin Use Disorder" OR DE "Morphine Dependence" OR DE "Opioid

∫ 'panic'/exp OR 'social discrimination'/exp OR 'stigma'/exp OR 'anger'/exp OR 'hostility'/exp OR 'perception'/ex

OR relate\* OR "professional attitude\*" OR belief\*) OR (MH "Attitude of Health Personnel+" OR MH "Fear+" OR

OR relate\* OR "professional attitude\*" OR belief\*) OR (DE "Fear" OR DE "Panic" OR DE "Social Discrimination  
Analgesics"))

p OR 'attitude of health'/exp OR 'health personnel attitude'/exp)

MH "Discrimination+" OR MH "Social Perception+" OR MH "Attitude to Health+") OR (MM "Health Knowledge

" OR DE "Stigma" OR DE "Mental Health Stigma" OR DE "Self-Stigma" OR DE "Anger" OR DE "Anger Expres:



" OR MM "Stigma" OR MM "Anger"))))

sion" OR DE "Hostility" OR DE "Burnout" OR DE "Occupational Stress") OR (MH "Social Perception+" OR MH

"Health Personnel Attitudes+" OR MH "Health Attitudes+"))